



Certificate of Analysis

Productname: Zinci oxidum

Inspection No: A01633/0313/536
Batchnumber: 12C09-T51-001565
Expiration date: 13.02.2015
Analysed according to: ČL 2009 - Dopl.2011,Ph.Eur.7.0

Customer: FAGRON a.s.
Sample Unit: 0 x 1 kg
Batch Size: 450 x 1 kg

	Requirement	Result	Unit	Standard remark
CHARACTERS				
Appearance	Fine,(yellowish-)white powder.	Conform		
Solubility	Conform	Conform		
IDENTIFICATION				
Identification A	White /yellow /white	Conform		
Identification B	White	Conform		Zinc
TESTS				
Alkalinity	<=0,3	0,0	ml	0,1 mol/l HCl
Carbonates and subs. insoluble in acids	Conform	Conform		
Arsenic	<=5	0,0	µg/g	
Cadmium	<=10	3	µg/g	
Iron	<=200	0,0	µg/g	
Lead	<=50	6	µg/g	
Loss on ignition	<=1,0	0,3	%	500°C
Microbiology	Conform	Conform		
TAMC	<=2 x 10 ³	Conform	CFU/g	
TYMC	<=2 x 10 ²	Conform	CFU/g	
ASSAY				
Zinc oxide	99,0 - 100,5	99,8	%	Ignited

Performed by: Alena Poláčková

Responsible: Ing. Martina Zemanová, QC
 RNDr. Jaromír Stodůlka, QP

Date: 12.03.2013

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.